

EUCCINJECT PU HARD CAT

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

EUCCINJECT PU HARD CAT

UFI:

HD2Y-DF3Q-M8KY-TH6V

1.2. Relevant identified uses of the substance or mixture and uses advised against

No data available

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

EUCCHEM BV

ESPERANTOLAAN 13/7

B-3300 TIENEN

BELGIUM

Tel.: +32.16.81.11.52

E-Mail: office@euccchem.com

1.4. Emergency telephone number

+32 70 245 245

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (Skin Corr. 1B)	H314: Causes severe skin burns and eye damage.	Calculation method.

Additional information:

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS05

Corrosion

Signal word: Danger

Hazard components for labelling:

bis(2-dimethylaminoethyl)(methyl)amine

EUCCINJECT PU HARD CAT

hazard statements for health hazards	
H314	Causes severe skin burns and eye damage.

Supplemental hazard information: -

Precautionary statements Response	
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Precautionary statements Disposal	
P501	Dispose of contents/container to an appropriate recycling or disposal facility.



2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 3030-47-5 EC No.: 221-201-1	bis(2-dimethylaminoethyl)(methyl)amine Acute Tox. 3, Acute Tox. 4, Skin Corr. 1B   Danger H302-H311-H314	2.5 - ≤ 10 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

Following inhalation:

Provide fresh air.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. Get immediate medical advice/attention.

After eye contact:

In case of contact with eyes, rinse immediately thoroughly with plenty of edible oil and consult an ophthalmologist.

Following ingestion:

Rinse mouth. Let water be drunk in little sips (dilution effect). Get medical advice/attention if you feel unwell. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Get immediate medical advice/attention.

Self-protection of the first aider:

Use personal protection equipment.

EUCOINJECT PU HARD CAT

4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

alcohol resistant foam Extinguishing powder Carbon dioxide (CO₂) Water spray jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Solvents/Thinner

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

EUCCINJECT PU HARD CAT

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TRGS 900 (DE)	Hydrocarbons, TRGS 900	① 0 mg/m ³ ⑤ Mass fraction (wt %): 0

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection DIN EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: Breakthrough time: min
In the case of wanting to use the gloves again, clean them before taking off and air them well.
Breakthrough times and swelling properties of the material must be taken into consideration.

Respiratory protection:

Filtering device with filter or ventilator filtering device of type: A A

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: light yellow

Odour: Amines

Safety relevant basis data

parameter		at °C	Method	Remark
pH	< 10.5			
Melting point	not determined			
Freezing point	not determined			

EUCCINJECT PU HARD CAT

parameter		at °C	Method	Remark
Initial boiling point and boiling range	198 °C			
Decomposition temperature	not determined			
Flash point	> 102 °C			
Evaporation rate	not determined			
Auto-ignition temperature	not determined			
Upper/lower flammability or explosive limits	not determined			
Vapour pressure	not determined			
Vapour density	not determined			
Density	0.91 g/cm ³	23 °C	DIN EN ISO 2811-1	
Bulk density	not determined			
Water solubility	Immiscible			
Partition coefficient: n-octanol/water	not determined			
Dynamic viscosity	not determined			
Kinematic viscosity	not determined			

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Substance name	Toxicological information
bis(2-dimethylaminoethyl)(methyl)amine CAS No.: 3030-47-5 EC No.: 221-201-1	LD₅₀ oral: 1,330 mg/kg (Rat) LD₅₀ dermal: >200 – 1,000 mg/kg (Rabbit) LC₅₀ Acute inhalation toxicity (vapour): 2.05 mg/l 6 h (Rat)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

EUCCINJECT PU HARD CAT

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Causes severe skin burns and eye damage.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

SECTION 12: Ecological information

12.1. Toxicity

Substance name	Toxicological information
bis(2-dimethylaminoethyl)(methyl)amine CAS No.: 3030-47-5 EC No.: 221-201-1	LC₅₀ : 220 mg/l 4 d (fish, <i>Leuciscus idus</i> (golden orfe)) DIN 38412 / part 15 LC₅₀ : 157 mg/l 4 d (fish, <i>Oncorhynchus mykiss</i> (Rainbow trout)) OECD 203 EC₅₀ : 54.9 mg/l 2 d (crustaceans, <i>Daphnia magna</i> (Big water flea)) NOEC : 1,000 mg/l (Activated sludge) 0,5h OECD 209

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Substance name	Results of PBT and vPvB assessment
bis(2-dimethylaminoethyl)(methyl)amine CAS No.: 3030-47-5 EC No.: 221-201-1	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available

EUCCINJECT PU HARD CAT

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product:

07 01 08 *	other still bottoms and reaction residues
------------	---





*: Evidence for disposal must be provided.

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA- DGR)
14.1. UN-No.			
UN 2735	UN 2735	UN 2735	UN 2735
14.2. UN proper shipping name			
AMINES, LIQUID, CORROSIVE, N.O.S. (bis(2-dimethylamino ethyl)(methyl)amine)	AMINES, LIQUID, CORROSIVE, N.O.S. (bis(2-dimethylamino ethyl)(methyl)amine)	AMINES, LIQUID, CORROSIVE, N.O.S. (bis(2-dimethylamino ethyl)(methyl)amine)	AMINES, LIQUID, CORROSIVE, N.O.S. (bis(2-dimethylamino ethyl)(methyl)amine)
14.3. Transport hazard class(es)			
 8	 8	 8	 8
14.4. Packing group			
II	II	II	II
14.5. Environmental hazards			
No	No	No	No

EUROINJECT PU HARD CAT

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA- DGR)
14.6. Special precautions for user			
Special provisions: 274 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 Hazard identification number (Kemler No.): 80 Classification code: C7 tunnel restriction code: (E) Remark:	Special provisions: 274 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 Classification code: C7 Remark:	Special provisions: 274 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 EmS-No.: F-A, S-B Remark:	Special provisions: A3 Limited quantity (LQ): Y840 Excepted Quantities (EQ): E2 Remark:

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

No data available

15.1.2. National regulations

[DE] National regulations

Water hazard class

WGK:

2 - deutlich wassergefährdend

Other regulations, restrictions and prohibition regulations

ZH 1/118 "Umgang mit gesundheitsgefährlichen Stoffen (für den Beschäftigten) (M 050)"

ZH 1/129 "Merkblatt: Reizende Stoffe/Ätzende Stoffe (M 004)"

[DK] National regulations

Other regulations, restrictions and prohibition regulations

MAL-kode (Denmark): 3-3

15.2. Chemical Safety Assessment

No data available

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

No data available

EUROINJECT PU HARD CAT

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (Skin Corr. 1B)	H314: Causes severe skin burns and eye damage.	Calculation method.

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.

16.6. Training advice

No data available

16.7. Additional information

The information in this safety data sheet corresponds to the best of our knowledge at the time of printing. The information is intended to provide guidelines for the safe handling of the product named in this safety data sheet during storage, processing, transport and disposal. The details are not transferable to other products. If the product is mixed or processed with other materials, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless otherwise stated. The information is based on our current level of knowledge, but does not represent any assurance of product properties and does not establish a contractual legal relationship. It is the responsibility of the recipient of our products to observe existing laws and regulations.