

Trade name: EUCOPROOF MS SL DONKER GRIJS
Version: 1
Revision date: 25.08.2020

SECTION 1: Identification of the substance / mixture and of the company

1.1. Product identification

EUCOPROOF MS SL DONKER GRIJS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / mixture

The product is intended for professional use. Building products. Coating.

Uses advised against

No identified use.

1.3. Details of the supplier of the safety data sheet

EUCCHEM BV
ESPERANTOLAAN 13/7
B-3300 TIENEN
BELGIUM
Tel.: +32.16.81.11.52
E-Mail: office@eucochem.com

1.4. Emergency telephone number

+32 70 245 245

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture is classified as not dangerous.

2.2. Label elements

Classification according to Regulation (EC) n° 1272/2008 (CLP)

Not applicable.

EU advice on specific hazards

EUH208	Contains N-(3-(Trimethoxysilyl)propyl)ethylenediamine. Can cause allergic reactions.
EUH210	Safety data sheet available on request.

2.3. Other hazards

General dangers

small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released during the curing process.

Trade name: EUCOPROOF MS SL DONKER GRIJS
Version: 1
Revision date: 25.08.2020

Results of the PBT and vPvB assessment

The components of this formulation do not meet the criteria for classification as a PBT or vPvB substance.

SECTION 3: Composition / Information on ingredients

3.2. Mixture

CAS-N°	EC-N°	Designation / classification	Proportion
2768-02-7	220-449-8	Trimethoxyvinylsilane REACH registration number: 01-2119513215-52	1 -< 2.5%
		Flam. Liq. 3, H226; Acute Tox. 4, H332; STOT RE 2, H373	
52829-07-9	258-207-9	Bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate REACH registration number: 01-2119537297-32	0.1 -< 1%
		Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411	
1760-24-3	217-164-6	N-(3-(Trimethoxysilyl)propyl)ethylenediamine REACH registration number: 01-2119970215-39	0.1 -< 1%
		Skin Sens. 1, H317; Eye Dam. 1, H318	
	926-141-6	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics REACH-registration number: 01-2119456620-43	0.1 -< 1%
		Asp. Tox 1, H304, EUH066	

The explanation of the listed hazard warnings can be found in Section 16.

This product does not contain any reportable Eu-listed substances of very high concern (SVHC) in a concentration of $\geq 0,1\%$ (Regulation (EC) No 1907/2006 (REACH), Article 59).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

If medical advice is required, have the packaging, identification label or safety data sheet ready.

After eye contact

Rinse immediately with plenty of water. After the first rinse, remove any contact lenses and continue rinsing for at least 15 minutes. See an ophthalmologist.

After inhalation

Move the affected person into fresh air and keep them quiet in a position that makes breathing easier. Get medical attention if symptoms occur.

Trade name: EUCOPROOF MS SL DONKER GRIJS
Version: 1
Revision date: 25.08.2020

After skin contact

Wash off immediately with soap and plenty of water. Consult a doctor if skin irritation or allergic reactions occur.

After ingestion

Immediately call poison information centre / doctor. If ingested, rinse out mouth with water (only if the casualty is conscious). Small amounts of toxic methanol are released through hydrolysis.

Self-protection of the first aider

First aiders: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed:

No information available.

4.3. Indication of any immediate medical attention or special treatment

small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released during the curing process. Symptomatic treatment.

SECTION 5: Fire fighting measures

5.1. Extinguishing agents

Suitable extinguishing media

Carbon dioxide (CO₂), dry powder, alcohol-resistant foam, water spray or mist.

Unsuitable extinguishing media

Full water jet.

5.2. Specific hazards arising from the substance or mixture

Special hazards arising from the substance

Thermal decomposition can release toxic and corrosive gases/vapours.

Hazardous combustion products

Carbon monoxide, carbon dioxide (CO₂)

5.3. Advice for fire-fighters

In case of fire, use respiratory mask that is independent from outside air. Do not let extinguishing water get into sewers and bodies of water.

Trade name: EUCOPROOF MS SL DONKER GRIJS
Version: 1
Revision date: 25.08.2020

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Wear the prescribed personal protective equipment. Do not let it get in eyes, on skin or on clothing. Ventilate the area. Avoid further leakage or spillage if it safe to do so.

6.2. Environmental protection measures

Do not discharge into drains or rivers. Do not allow it to get into the soil or subsoil.

6.3. Methods and materials for containment and cleaning up

Methods for containment

Contain spillage, then absorb with non-combustible absorbent material (i.e. Sand, earth, Kieselgur, vermiculite) and dispose of in a suitable container in accordance with local/national regulations. Protect from moisture.

Procedures for cleaning up

Pick up mechanically and collect in suitable containers for disposal. Soak up with inert, absorbent material. Contain. Pick up and transfer to appropriately labelled containers. Take precautionary measures against electrostatic charging.

6.4. Reference to other sections

Information on safe handling, see section 7.

Information on personal protective equipment, see section 8.

Information on disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice for safe handling

Wear the prescribed personal protective equipment. Avoid contact with skin, eyes and clothes. No special fire protection measures required.

General hygiene advice

keep away from food, drink and animal feed. Do not eat, drink or smoke at work. Wash hands thoroughly after use. Take off immediately contaminated clothing and wash before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Protect from moisture. Keep/store only in the original containers. Recommended storage temperature 10-35°C

Storage class according to TRGS 510: 10 (flammable liquids).

Trade name: EUCOPROOF MS SL DONKER GRIJS
Version: 1
Revision date: 25.08.2020

7.3. Specific end uses

Construction chemical applications

SECTION 8: Exposure controls / Personal protection

8.1. Control parameters

Occupational exposure limit values (TRGS 900)

CAS-N°	Designation	Limit value	Peak limitation	Remark
67-56-1	Methanol	200 ppm	4 (II)	AGW
		200 ppm		TWA
		270 mg/m ³	4 (II)	AGW
		260 mg/m ³		TWA

Biological limit value (TRGS903)

CAS-N°	Designation	Limit value	Time of sampling
67-56-1	Methanol	30 mg/l Urine	End of shift End of work week

8.2. Exposure controls / personal protective equipment

Technical control devices

Provide adequate ventilation, especially in enclosed spaces.

Eye / face protection

Use protective goggles or protective goggles with side shields in accordance with DIN EN 166.

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment. Wear a protective mask according to EN 140 with filter type A/p2 brown or better. Filters for organic gases and vapours according to EN 14387.

Skin / body protection

Wear suitable protective clothing when working.

Hand protection

Protective gloves in accordance with DIN EN 374. Butyl rubber (IIR), nitrile rubber (NBR), neoprene. Permeation time (maximum wearing time): >480 min. The information provided by the manufacturer of the protective gloves on permeability and breakthrough times must be observed. Gloves are to be disposed of immediately if they are heavily soiled or damaged, in the case of splashes, after the specified maximum wearing time, but at the latest at the end of the shift.

Limitation and supervision of environmental exposure

Do not discharge the product into the environment.

Trade name: EUCOPROOF MS SL DONKER GRIJS
Version: 1
Revision date: 25.08.2020

SECTION 9: Physical and chemical properties

9.1. Information on basis physical and chemical properties

Physical state:	liquid
Colour:	grey
Odour:	characteristic
Flash point:	> 61 °C
Relative density:	Approx. 1,5 g/cm ³
Water solubility:	Reacts with water

SECTION 10: Stability and reactivity

10.1. Reactivity

Product hardens with moisture.

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Protect from moisture.

10.5. Incompatible materials

Water

10.6. Hazardous decomposition products

No hazardous decomposition products if stored and handled properly.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Product details

Acute toxicity

ATEmix (dermal):	12,910 mg/kg
ATEmix (inhalative vapour):	974 mg/l

Sensitisation

Can cause allergic reactions.

Target organ effects

Eyes, respiratory system, skin

Trade name: EUCOPROOF MS SL DONKER GRIJS
Version: 1
Revision date: 25.08.2020

Information on Trimethoxyvinylsilane

Acute toxicity

Route of exposure: oral
Dose: LD50 - 7.120 - 7.236 mg/kg
Species: Rat
Method: OECD 401
Route of exposure: dermal
Dose: LD50 - 3.360 µL/kg
Species: Rabbit

Information on Bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate

Acute toxicity

Route of exposure: oral
Dose: LD50 - 2.000 mg/kg
Species: Rat
Method: OECD 423
Route of exposure: dermal
Dose: LD50 - 3.170 mg/kg
Species: Rat
Method: OECD 402
Route of exposure: inhalative
Dose: 500 mg/m³(4h)
Species: Rat

Information on N-(3-(Trimethoxysilyl)propyl)ethylenediamine

Acute toxicity

Route of exposure: oral
Dose: LD50 - 2.295 mg/kg
Species: Rat
Method: EPA OPPTS 870.1100

Route of exposure: dermal
Dose: LD50 - 2.000 mg/kg
Species: Rat
Method: EPA OPPTS 870.1200

SECTION 12: Environmental information

12.1. Toxicity

Aquatic toxicity

Information on Trimethoxyvinylsilane

Acute / long-term fish toxicity
Dose: LC50 - 191 mg/l
Duration: 96 h

Trade name: EUCOPROOF MS SL DONKER GRIJS
Version: 1
Revision date: 25.08.2020

Species: *Oncorhynchus mykiss* (Rainbow trout)

Acute algae toxicity

Dose: EC50 - 957 mg/l

Duration: 72 h

Species: *Desmodesmus subspicatus* (Green algae)

Method: EU Method C.3

Acute crustacea toxicity

Dose: EC50 - 168,7 mg/l

Duration: 48 h

Species: *Daphnia magna*

Information on Bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate

Acute / long-term fish toxicity

Dose: LC50 - 5,29 mg/l

Duration: 96 h

Species: *Oryzias latipes* (Rice fish)

Acute algae toxicity

Dose: EC50 - 0,705 mg/l

Duration: 72 h

Species: *Pseudokirchnerella subcapitata* (Microalgae)

Acute crustacea toxicity

Dose: LC50 - 8,58 mg/l

Duration: 48 h

Species: *Daphnia magna*

Information on N-(3-(Trimethoxysilyl)propyl)ethylenediamine

Acute / long-term fish toxicity

Dose: LC50 - 597 mg/l

Duration: 96 h

Species: *Danio rerio* (Zebrafish)

Acute crustacea toxicity

Dose: EC50 - 81 mg/l

Duration: 48 h

Species: *Daphnia magna*

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

Trade name: EUCOPROOF MS SL DONKER GRIJS
Version: 1
Revision date: 25.08.2020

12.5. Results of the PBT and vPvB assessment

The components of this formulation do not meet the criteria for classification as a PBT or vPvB substance.

12.6. Other harmful effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal

Dispose of contents/container in accordance with local, regional, national and international regulations. Uncured product must be disposed of as hazardous waste. Waste code 08 04 10: Waste of adhesives and sealants other than those mentioned in 08 04 09.

Packaging disposal

Do not reuse empty containers. Treat contaminated packaging like the substance.

Additional information

The waste classification can change depending on the area in which the product is used. Please observe EC Directive 2001/118/EC.

SECTION 14: Transport information

14.1. Land transport (ADR(RID))

Not hazardous according to these transportation regulations.

14.2. Inland waterway transport (ADN)

Not hazardous according to these transportation regulations.

14.3. Sea transport (IMDG)

Not hazardous according to these transportation regulations.

14.4. Air transport (IATA)

Not hazardous according to these transportation regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

EU Regulations

EU-REACH (1907/2006) - Candidate list of substances of very high concern (SVHC) for authorization according to article 59.

Trade name: EUCOPROOF MS SL DONKER GRIJS
Version: 1
Revision date: 25.08.2020

This product does not contain any reportable EU-listed substances of very high concern (SVHC) in a concentration of $\geq 0,1\%$ (Regulation (EC) No 1907/2006 (REACH), Article 59)..

EU-REACH (1907/2006) - Annex XVII Restrictions on use

This product contains one or more substances that are subject to authorization (Regulation (EC) No 1907/2006, REACH), Annex XVII).

Chemical name: Dioctyl tin oxide

CAS-Nr. 870-08-6

Use restriction: 20

EU-REACH (1907/2006) - Annex XIV -"List of substances subject to authorization"

This product does not contain any substances that are subject to authorization (Regulation (EC) No 1907/2006, REACH), Annex XIV

National regulations

Water hazard class

1 - slightly hazardous to water

15.2. Safety assessment

No chemical safety assessment was carried out for this mixture.

SECTION 16: Other information

Explanation of the H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed or if in respiratory system.
H317	May cause allergic reactions to the skin.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H373	may cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic organisms.
H411	Toxic to aquatic life, with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH208	Contains N-(3-(Trimethoxysilyl)propyl)ethylenediamine. Can cause allergic reactions.
EUH210	Safety data sheet available on request.

Additional information

The information in this safety data sheet corresponds to the best of our knowledge at the time of printing. The information is intended to provide guidelines for the safe handling of the product named in this safety data sheet during storage, processing, transport and disposal. The details are not transferable to other products. If the product is mixed or processed with other materials, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless otherwise stated. The information is based on our current level of knowledge, but does not represent any assurance of product properties and does not establish a contractual legal relationship. It is the responsibility of the recipient of our products to observe existing laws and regulations.