

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Issue date: 26/08/2020 Version: 1.0

SECTION 1: I dentification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Hydroblocker 3K comp. A

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

DL CHEMICALS Roterijstraat 201-203 B-8793 Waregem - Belgium

T + 32 56 62 70 51 - F + 32 56 60 95 68 <u>info@dl-chem.com</u> - <u>www.dl-chem.com</u>

1.4. Emergency telephone number

Emergency number : + 32 70 245 245

Country	Official advisory body	Address	Emergency number	Comment
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, H319

Category 2

27/08/2020

Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment H411

- Chronic Hazard, Category 2

Full text of H statements: see section 16

Adverse physicochemical, human health and environmental effects No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



HS07 GHS09

CLP Signal word : Warning

Hazardous ingredients : reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average

molecular weight 700); Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.;

Reaction product: Bisphenol-F-epichlorhydrin

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

EN (English)

P264 - Wash hands, forearms and face thoroughly after handling.

1/8

P272 - Contaminated work clothing should not be allowed out of the workplace.

Hydroblocker 3K comp. A Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face

protection/hearing protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

EUH-statements : EUH205 - Contains epoxy constituents. May produce an allergic reaction.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight 700)	(CAS-No.) 25068-38-6 (EC-No.) 500-033-5 (EC Index-No.) 603-074-00-8 (REACH-no) 01-2119456619-26	50 – 75	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	(CAS-No.) 68609-97-2 (EC-No.) 271-846-8 (REACH-no) 01-2119485289-22	10 – 50	Skin Irrit. 2, H315 Skin Sens. 1, H317
Reaction product: Bisphenol-F-epichlorhydrin	(CAS-No.) 9003-36-5 (EC-No.) 500-006-8	10 – 25	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411

Specific concentration limits:

Name	Product identifier	Specific concentration limits
reaction product: bisphenol-A-(epichl resin (number average molecular wei	(CAS-No.) 25068-38-6 (EC-No.) 500-033-5 (EC Index-No.) 603-074-00-8 (REACH-no) 01-2119456619-26	(5 C < 100) Skin Irrit. 2, H315 (5 C < 100) Eye Irrit. 2, H319

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation

: Move to fresh air. Respiratory problems: consult a doctor/medical service.

First-aid measures after skin contact

: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Get medical advice if skin irritation persists. Wash contaminated clothing before reuse.

First-aid measures after eye contact

: Contact lenses should be removed. Immediately flush eyes thoroughly with water for at least 15 minutes. If eye irritation persists, consult a specialist.

First-aid measures after ingestion

: Call a physician immediately. Never give anything by mouth to an unconscious person. Do not induce vomiting without medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : No supplementary information available.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media allowed. dry chemical powder, alcohol-resistant foam,

carbon dioxide (CO2). Water spray.

Unsuitable extinguishing media : None.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Do not breathe fumes.

27/08/2020 EN (English) 2/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.3. Advice for firefighters

Precautionary measures fire : Use water spray or fog for cooling exposed containers. Protective non-flammable

clothing.

Firefighting instructions : Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of

fire debris and contaminated fire fighting water in accordance with official

regulations.

Protection during firefighting : Wear protective clothing. EN 469. Gloves. EN 659. Wear a self contained breathing

apparatus. EN 137. Rubber boots.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment. Concerning personal protective

equipment to use, see item 8.

6.1.2. For emergency responders

Protective equipment : Wear recommended personal protective equipment. For further information refer to

section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Not in groundwater, surfacewater or sewerage.

6.3. Methods and material for containment and cleaning up

For containment : Collect all waste in suitable and labelled containers and dispose according to local

legislation. Refer to Section 10 on Incompatible Materials.

Methods for cleaning up : Clear up rapidly by scoop or vacuum. Take up liquid spill into inert absorbent

material. Ensure adequate ventilation. For disposal of contaminated materials refer

to section 13: "Disposal considerations".

6.4. Reference to other sections

Reference to other sections (8, 13).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Avoid breathing dust, mist, vapours. Avoid

release to the environment. Ensure adequate air ventilation. No naked flames,

sparks, and do not smoke.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Do not

eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed. Keep the container

hermetically sealed. Keep the packing dry and well sealed to prevent

contamination and absorbtion of humidity. Avoid contact with water. Prevent shock/impact. Refer to Section 10 on Incompatible Materials. Keep away from any

flames or sparking source.

7.3. Specific end use(s)

No additional information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure that there is a suitable ventilation system.

Hand protection:

The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN 374. Breakthrough time: refer to the recommendations of the supplier

27/08/2020 EN (English) 3/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Eye protection:

tightly fitting safety goggles. DIN EN 166

Skin and body protection:

Long sleeved protective clothing. safety foot-wear. EN ISO 20344. Wash hands and other exposed areas with soap and water before leaving work

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Breathing apparatus with filter. In case of any doubt wear a half-mask respirator according to EN 529.

Environmental exposure controls:

Do not allow to enter drains or water courses. Assure that emissions are compliant with all applicable air pollution control regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Transparent.

Odour : slight.

Odour threshold : No data available pH : No data available Relative evaporation rate : No data available

(butylacetate=1)

Melting point : No data available Freezing point : No data available

Boiling point : $> 100 \, ^{\circ}\text{C}$ Flash point : $> 100 \, ^{\circ}\text{C}$

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available
Relative density : No data available

Density : 1,12 kg/l

Solubility : Soluble in organic solvents.

Partition coefficient n-octanol/water (Log

Pow)

: No data available

Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No supplementary information available.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available.

10.4. Conditions to avoid

No flames, no sparks. Eliminate all sources of ignition.

27/08/2020 EN (English) 4/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.5. Incompatible materials

Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight 700) (25068 38-6)		
LD50 oral	13600 mg/kg	

Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2)		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	> 4000 mg/kg	
LC50 inhalation rat (Vapours - mg/l/4h)	> 0,15 mg/l/4h	

Reaction product: Bisphenol-F-epichlorhydrin (9003-36-5)		
LD50 oral rat	17100 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	

Skin corrosion/irritation : Causes skin irritation
Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : May cause sensitisation by skin contact

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

Potential adverse human health effects and symptoms

ects

: Harmful if swallowed. Harmful if inhaled. Irritation of the respiratory tract and the other mucous membranes. Symptoms include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. May be harmful in contact with skin. Causes serious eye irritation. Causes skin irritation.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)

: Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic)

: Toxic to aquatic life with long lasting effects.

Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2)		
LC50 fish 1	> 5000 mg/l	
EC50 Daphnia 1	7,2 mg/l	
EC50 72h algae (1)	843,75 mg/l	

Reaction product: Bisphenol-F-epichlorhydrin (9003-36-5)		
LC50 fish 1 2,54 mg/l		
EC50 Daphnia 1	2,55 mg/l	
EC50 72h algae (1)	> 1000 mg/l	

12.2. Persistence and degradability

27/08/2020 EN (English) 5/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight 700) (25068-38-6)		
Persistence and degradability Not readily biodegradable.		
Reaction product: Bisphenol-F-epichlorhydrin (9003-36-5)		
Persistence and degradability Not readily biodegradable.		
12.3 Rioaccumulative notential		

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight 700) (25068-38-6)		
Bioconcentration factor (BCF REACH) 31		
Partition coefficient n-octanol/water (Log Pow)	3,242	

Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2)		
Partition coefficient n-octanol/water (Log Pow)	6 at 20 °C	

Reaction product: Bisphenol-F-epichlorhydrin (9003-36-5)		
Partition coefficient n-octanol/water (Log Pow)	3,3	

12.4. Mobility in soil

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight 38-6)		
Mobility in soil 2,65		
Surface tension	60 mN/m at 20 °C	

12.5. Results of PBT and vPvB assessment

Hydroblocker 3K comp. A	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

12.6. Other adverse effects

: No supplementary information available. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	: Dispose of this material and its container at hazardous or special waste collection point.
Waste treatment methods	: Dispose of waste according to applicable legislation.

Sewage disposal recommendations : Disposal must be done according to official regulations. Product/Packaging disposal : Hand over to officially registered waste disposal company.

recommendations

SECTION 14: Transport information

In accordance with ADR / IATA / IMDG / RID

ADR	IMDG	IATA	RID
		Special provision(s) applied : A197	
14.1. UN number			
3082	3082	3082	3082
14.2. UN proper shipping	name		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Environmentally hazardous substance, liquid, n.o.s.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (REACTION PRODUCT: BISPHENOL A-(EPICHLORHYDRIN); Reaction product: bisphen-F-epichlorohydrin), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (REACTION PRODUCT: BISPHENOL A- (EPICHLORHYDRIN); Reaction product: bisphen-F- epichlorohydrin), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (REACTION PRODUCT: BISPHENOL A-(EPICHLORHYDRIN); Reaction product: bisphen-F-epichlorohydrin), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (REACTION PRODUCT: BISPHENOL A-(EPICHLORHYDRIN); Reaction product: bisphen-F-epichlorohydrin), 9, III

27/08/2020 6/8 EN (English)

Hydroblocker 3K comp. A Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	IATA	RID
14.3. Transport hazard cla	ass(es)		
9	9	9	9
₹ 2	₹ 2	₹ 2	₹
14.4. Packing group			
111	111	111	III
14.5. Environmental hazards			
Dangerous for the environment : Yes Dangerous for the environment : Yes Marine pollutant : Yes		Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available			

14.6. Special precautions for user

- Overland transport

Limited quantities (ADR) : 5I Hazard identification number (Kemler No.) : 90

Orange plates



- Transport by sea

Limited quantities (IMDG) : 5 L
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-F

- Air transport

PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197

- Rail transport

Limited quantities (RID) : 5L Hazard identification number (RID) : 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regul	ation (EC) No 1907/2006:
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Hydroblocker 3K comp. A; reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight 700); Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.; Reaction product: Bisphenol-F-epichlorhydrin
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Hydroblocker 3K comp. A; reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight 700); Reaction product: Bisphenol-F-epichlorhydrin

Contains no substance on the REACH candidate list

27/08/2020 EN (English) 7/8

Hydroblocker 3K comp. A Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no REACH Annex XIV substances

Seveso Information : E2

15.1.2. National regulations
No additional information available

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Aquatic Chronic 2	quatic Chronic 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Eye Irrit. 2 Serious eye damage/eye irritation, Category 2		
Skin Irrit. 2 Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
H315	Causes skin irritation.	
H317 May cause an allergic skin reaction.		
H319	H319 Causes serious eye irritation.	
H411	Toxic to aquatic life with long lasting effects.	
EUH205	Contains epoxy constituents. May produce an allergic reaction.	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

MSDS Reach Annex II DL-Chem

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

27/08/2020 EN (English) 8/8