

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Issue date: 24/08/2020 Version: 1.0

SECTION 1: I dentification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Primer PU Turbo

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

DL CHEMICALS Roterijstraat 201-203 B-8793 Waregem - Belgium

T + 32 56 62 70 51 - F + 32 56 60 95 68 <u>info@dl-chem.com</u> - <u>www.dl-chem.com</u>

1.4. Emergency telephone number

Emergency number : + 32 70 245 245

| Country | Official advisory body | Address | Emergency number | Comment |
|-------------------|---|---------------------------------|------------------|---------|
| United Kingdom | Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust | Avonley Road SE14 5ER London | +44 20 7188 7188 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (inhalation: dust, mist) H332

Category 4

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation,
Category 2
Pagainstant annihilation Category 1 H324

Respiratory sensitisation, Category 1 H334
Skin sensitisation, Category 1 H317
Carcinogenicity, Category 2 H351
Specific target organ toxicity — Single H335

exposure, Category 3, Respiratory

tract irritation

Specific target organ toxicity —

Repeated exposure, Category 2

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects No additional information available

H373

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS08

GHS07

CLP Signal word : Danger

Hazardous ingredients : 1,1-methylenebis(isocyanatebenzene) polymer; 4,4'-methylenediphenyl diisocyanate; 4,4'-methylenediphenyl diisocyanate, isomers and homologues;

Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-

24/08/2020 EN (English) 1/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

isocyanatobenzyl)phenyl isocyanate / methylene diphenyl diisocyanate

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H332 - Harmful if inhaled.

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 - May cause respiratory irritation. H351 - Suspected of causing cancer.

H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary statements (CLP) : P501 - Dispose of contents and container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international regulation.

P102 - Keep out of reach of children.

P260 - Do not breathe dust, fume, gas, mist, vapours, spray.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

EUH-statements : EUH204 - Contains isocyanates. May produce an allergic reaction.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. |
|--|--|---------|--|
| 1,1-methylenebis(isocyanatebenzene) polymer | (CAS-No.) 39420-98-9 | 10 – 50 | 1272/2008 [CLP] Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 3, H335 STOT RE 2, H373 |
| 4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate (Note C)(Note 2) | (CAS-No.) 101-68-8 (EC-No.) 202-966-0 (EC Index-No.) 615-005-00-9 (REACH-no) 01-2119457014-47 | 10 – 50 | Carc. 2, H351 Acute Tox. 4 (Inhalation), H332 STOT RE 2, H373 Eye Irrit. 2, H319 STOT SE 3, H335 Skin Irrit. 2, H315 Resp. Sens. 1, H334 Skin Sens. 1, H317 |
| 4,4'-methylenediphenyl diisocyanate, isomers and homologues | (CAS-No.) 9016-87-9 (EC-No.) 618-498-9 | 10 – 50 | Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 3, H335 STOT RE 2, H373 |
| Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate / methylene diphenyl diisocyanate | (EC-No.) 905-806-4 (REACH-no) 01-2119457015-45 | 10 – 50 | Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 3, H335 STOT RE 2, H373 |

24/08/2020 EN (English) 2/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Specific concentration limits:

| Name | Product identifier | Specific concentration limits |
|--------------------------------------|-----------------------------|-----------------------------------|
| 4,4'-methylenediphenyl diisocyanate; | (CAS-No.) 101-68-8 | (0,1 C < 100) Resp. Sens. 1, H334 |
| diphenylmethane-4,4'-diisocyanate | (EC-No.) 202-966-0 | (5 C < 100) STOT SE 3, H335 |
| | (EC Index-No.) 615-005-00-9 | (5 C < 100) Skin Irrit. 2, H315 |
| | (REACH-no) 01-2119457014-47 | (5 C < 100) Eye Irrit. 2, H319 |

Note 2: The concentration of isocyanate stated is the percentage by weight of the free monomer calculated with reference to the total weight of the mixture.

Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Move to fresh air. If breathing stops, give artificial respiration. Get immediate

medical advice/attention.

First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Wash contaminated clothing before reuse. Get

immediate medical advice/attention.

First-aid measures after eye contact : Contact lenses should be removed. Immediately flush eyes thoroughly with water

for at least 15 minutes. Consult an eye specialist if necessary.

First-aid measures after ingestion : Get immediate medical advice/attention. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : No supplementary information available.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media allowed. Powder. Foam. Water fog. Carbon dioxide.

Unsuitable extinguishing media : None.

5.2. Special hazards arising from the substance or mixture

Fire hazard : In case of fire and/or explosion do not breathe fumes.

5.3. Advice for firefighters

Precautionary measures fire : Use water spray or fog for cooling exposed containers.

Firefighting instructions : Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of

fire debris and contaminated fire fighting water in accordance with official

regulations.

Protection during firefighting : Wear self-contained breathing apparatus and protective suit (see section 8). Wear

fire/flame resistant/retardant clothing. EN 469. Gloves. EN 659. Self-contained

breathing apparatus. EN 137.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Wear protective clothing. Concerning personal protective equipment to use, see

item 8.

6.1.2. For emergency responders

Protective equipment : Wear protective clothing. For further information refer to section 8: "Exposure

controls/personal protection".

6.2. Environmental precautions

Not in groundwater, surfacewater or sewerage.

6.3. Methods and material for containment and cleaning up

For containment : Collect spills and put it into appropriated container. Refer to Section 10 on

Incompatible Materials. Take up liquid spill into inert absorbent material.

Methods for cleaning up : For disposal of contaminated materials refer to section 13 : "Disposal

considerations".

24/08/2020 EN (English) 3/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other information : Ensure adequate air ventilation.

Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

Additional hazards when processed : Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Avoid release to the environment.

: Keep away from ignition sources (including static discharges). Provide adequate Precautions for safe handling

ventilation to minimize dust and/or vapour concentrations.

: Do no eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Product must only be kept in the original packaging. Store in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Refer to Section 10 on Incompatible Materials.

Specific end use(s)

Hygiene measures

No additional information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| 4,4'-methylenediphenyl | 4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate (101-68-8) | | |
|------------------------|---|-------------------------|--|
| EU | IOELV TWA (mg/m³) | 0,052 mg/m ³ | |
| EU | IOELV TWA (ppm) | 0,005 ppm | |

| 4,4'-methylenediphenyl diisocyanate; | diphenylmethane-4,4'-diisocyanate (101-68-8) |
|--|--|
| DNEL/DMEL (Workers) | |
| Acute - systemic effects, dermal | 50 mg/kg bodyweight/day |
| Acute - systemic effects, inhalation | 0,1 mg/m ³ |
| Acute - local effects, dermal | 28,7 mg/cm ² |
| Acute - local effects, inhalation | 0,1 mg/m³ |
| Long-term - systemic effects, inhalation | 0,05 mg/m ³ |
| Long-term - local effects, inhalation | 0,05 mg/m ³ |
| DNEL/DMEL (General population) | |
| Acute - systemic effects, dermal | 25 mg/kg bodyweight |
| Acute - systemic effects, inhalation | 0,05 mg/m ³ |
| Acute - systemic effects, oral | 20 mg/kg bodyweight |
| Acute - local effects, dermal | 17,2 mg/cm ² |
| Acute - local effects, inhalation | 0,05 mg/m ³ |
| Long-term - systemic effects, inhalation | 0,025 mg/m ³ |
| Long-term - local effects, inhalation | 0,025 mg/m ³ |
| PNEC (Water) | |
| PNEC aqua (freshwater) | 1 mg/l |
| PNEC aqua (marine water) | 0,1 mg/l |
| PNEC (Soil) | |
| PNEC soil | > 1 mg/kg dwt |
| PNEC (STP) | |
| PNEC sewage treatment plant | > 1 mg/l |

| | enyi diisocyanate and o-(p-isocyanatobenzyi)phenyi isocyanate / metnyiene |
|---------------------------------------|---|
| diphenyl diisocyanate | |
| DNEL/DMEL (Workers) | |
| Acute - systemic effects, inhalation | 0,1 mg/m ³ |
| Long-term - local effects, inhalation | 0,05 mg/m ³ |
| PNEC (Water) | |
| PNEC aqua (freshwater) | 1 mg/l |
| PNEC aqua (marine water) | 0,1 mg/l |
| PNEC aqua (intermittent, freshwater) | 10 mg/l |

24/08/2020 EN (English) 4/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Reaction mass of 4,4'-methylenediphe diphenyl diisocyanate | enyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate / methylene |
|--|---|
| PNEC (Soil) | |
| PNEC soil | 1 mg/kg dwt |
| PNEC (STP) | |
| PNEC sewage treatment plant | 1 mg/l |

Appropriate engineering controls:

Local exhaust and general ventilation must be adequate to meet exposure standards. Safety shower.

Hand protection:

The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN 374. CE certificate. Time of penetration is to be checked with the glove producer

tightly fitting safety goggles. DIN EN 166. Emergency eye wash fountain with clean water

Skin and body protection:

Long sleeved protective clothing. safety foot-wear. EN ISO 20344. Wash hands and other exposed areas with soap and water before leaving work

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. High gas/vapour concentration: gas mask with filter type A. Air-fed respiratory protective equipment should be worn when this product is sprayed if the exposure of the sprayer or other people nearby cannot be controlled to below the occupational exposure limit. In case of any doubt wear a half-mask respirator according to EN 529.

Environmental exposure controls:

Assure that emissions are compliant with all applicable air pollution control regulations.

| SECTION 9: Physical and chem | nical properties |
|---|-------------------------|
| 9.1. Information on basic physical | and chemical properties |
| Physical state | : Liquid |
| Appearance | : Liquid. |
| Colour | : brown. |
| Odour | : odourless. |
| Odour threshold | : No data available |
| рН | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : > 100 °C |
| Flash point | : 210 °C |
| Auto-ignition temperature | : > 400 °C |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : 1,16 |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : 230 mPa·s |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |

24/08/2020 EN (English) 5/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with water. Exothermic reaction on contact with: Amines. alcohols. with: pressure rise and possible bursting of container.

10.2. Chemical stability

No supplementary information available.

10.3. Possibility of hazardous reactions

Amines. Ammonia. Strong acids. Strong bases. Acids. water. Alcohol.

10.4. Conditions to avoid

Moisture. Do not store at or below 15 °C, to facilitate handling.

10.5. Incompatible materials

No additional information available.

Respiratory or skin sensitisation

Germ cell mutagenicity

Reproductive toxicity

STOT-single exposure

Carcinogenicity

10.6. Hazardous decomposition products

Nitrogen oxides. Carbon oxides (CO, CO2). Hydrogen cyanide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation) : Harmful if inhaled

| Acute toxicity (inhalation) | : Harmful if inhaled. |
|---|--|
| Primer PU Turbo | |
| LC50 inhalation rat (Dust/Mist - mg/I/4h) | 3,13 mg/l/4h |
| 1,1-methylenebis(isocyanatebenzene) | polymer (39420-98-9) |
| LD50 oral rat | > 10000 mg/kg |
| LD50 dermal rabbit | > 9400 mg/kg |
| LC50 inhalation rat (mg/l) | 0,49 mg/l/4h |
| 4,4'-methylenediphenyl diisocyanate; | diphenylmethane-4,4'-diisocyanate (101-68-8) |
| LD50 oral rat | > 10000 mg/kg |
| LD50 dermal rabbit | > 9400 mg/kg |
| LC50 inhalation rat (mg/l) | 0,49 mg/l/4h |
| | |
| 4,4'-methylenediphenyl diisocyanate, | isomers and homologues (9016-87-9) |
| 4,4'-methylenediphenyl diisocyanate, LD50 oral rat | isomers and homologues (9016-87-9) > 10000 mg/kg |
| | |
| LD50 oral rat | > 10000 mg/kg |
| LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) | > 10000 mg/kg > 9400 mg/kg |
| LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) Reaction mass of 4,4'-methylenediphe | > 10000 mg/kg > 9400 mg/kg 0,49 mg/l/4h |
| LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) Reaction mass of 4,4'-methylenediphediphenyl diisocyanate | > 10000 mg/kg > 9400 mg/kg 0,49 mg/l/4h enyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate / methylene |
| LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) Reaction mass of 4,4'-methylenediphediphenyl diisocyanate LD50 oral rat | > 10000 mg/kg > 9400 mg/kg 0,49 mg/l/4h enyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate / methylene > 2000 mg/kg |
| LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) Reaction mass of 4,4'-methylenediphediphenyl diisocyanate LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) | > 10000 mg/kg > 9400 mg/kg 0,49 mg/l/4h Inyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate / methylene > 2000 mg/kg > 9400 mg/kg |

24/08/2020 EN (English) 6/9

: Respiratory or skin sensitisation

: Possibly human carcinogenic

classification criteria are not met)

: May cause respiratory irritation

met)

: No mutagenic effect (Based on available data, the classification criteria are not

: No indications of human reproductive toxicity exist. (Based on available data, the

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

Potential adverse human health effects

and symptoms

: Harmful if swallowed. Harmful if inhaled. Irritation of the respiratory tract and the other mucous membranes. Symptoms include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. May be harmful in contact with skin. Causes serious eye irritation. Causes skin

SECTION 12: Ecological information

Hazardous to the aquatic environment, short-term (acute)

: Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment,

: Not classified (Based on available data, the classification criteria are not met)

long-term (chronic)

| 4,4'-methylenediphenyl diisocyanate; | diphenylmethane-4,4'-diisocyanate (101-68-8) |
|--|--|
| LC50 fish 1 | 1000 mg/l |
| EC50 Daphnia 1 | 1000 mg/l |
| NOEC (chronic) | 10 mg/l Daphnia magna (Big water flea) |
| 4,4'-methylenediphenyl diisocyanate, | isomers and homologues (9016-87-9) |
| LC50 fish 1 | > 1000 mg/l (OECD 203 method) |
| EC50 Daphnia 1 | > 1000 mg/l (OECD 202 method) |
| EC50 other aquatic organisms 2 | 100 mg/l Bacteria |
| EC50 72h algae (1) | > 1640 mg/l (OECD 201 method) |
| ErC50 (algae) | 72h 1640 mg/l (OECD 201 method) |
| NOEC (chronic) | 10000 mg/l Daphnia magna (Big water flea) |
| NOEC chronic crustacea | 10 mg/l (OECD 211 method) |
| Reaction mass of 4,4'-methylenediphe diphenyl diisocyanate | nyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate / methylene |
| LC50 fish 1 | > 1000 mg/l |

| diphenyl diisocyanate | |
|------------------------|-------------|
| LC50 fish 1 | > 1000 mg/l |
| EC50 Daphnia 1 | > 1000 mg/l |
| EC50 72h algae (1) | 1640 mg/l |
| NOEC chronic crustacea | > 10 mg/l |
| NOEC chronic algae | > 1640 mg/l |

12.2. Persistence and degradability

| 4,4'-methylenediphenyl diisocyanate; | 4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate (101-68-8) | |
|---|---|--|
| Persistence and degradability Not easily bio-degradable (according to OECD-criteria). | | |
| Biodegradation 28d 0 % | | |
| 4,4'-methylenediphenyl diisocyanate, isomers and homologues (9016-87-9) | | |
| 4,4°-methylenediphenyl dilsocyanate, | isomers and nomologues (9016-87-9) | |
| Persistence and degradability | Not easily bio-degradable (according to OECD-criteria). | |

12.3. Bioaccumulative potential

| 4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate (101-68-8) | |
|---|-------------------------|
| Bioconcentration factor (BCF REACH) | 200 |
| Partition coefficient n-octanol/water (Log Pow) | 4,51 |
| Bioaccumulative potential | highly bioaccumulative. |
| 4.4' mathylanodinhanyl diisasyanata, isamars and hamalaguas (0016, 97, 0) | |

| 4,4'-methylenediphenyl diisocyanate, isomers and homologues (9016-87-9) | |
|---|-------------------------|
| BCF fish 1 | 200 |
| Bioaccumulative potential | highly bioaccumulative. |

| Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate / methylenediphenyl diisocyanate | |
|---|---------------|
| Partition coefficient n-octanol/water (Log Pow) | 4,51 at 22 °C |

| Nο | additional | information | available |
|----|------------|-------------|-----------|
| | | | |

24/08/2020 EN (English) 7/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.5. Results of PBT and vPvB assessment

Primer PU Turbo

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : This material and its container must be disposed of as hazardous waste.

Product/Packaging disposal : Disposal must be done according to official regulations.

recommendations

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | IMDG | IATA | ADN | RID |
|--|-------------------------------|---------------|---------------|---------------|
| 14.1. UN number | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.2. UN proper ship | 14.2. UN proper shipping name | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.3. Transport hazard class(es) | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.4. Packing group | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.5. Environmental hazards | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available | | | | |

14.6. Special precautions for user

- Overland transport

Not regulated

- Transport by sea

Not regulated

- Air transport

Not regulated

- Inland waterway transport

Not regulated

- Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

| The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006: | |
|--|--|
| 3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 | Primer PU Turbo; 4,4'-methylenediphenyl diisocyanate, isomers and homologues; Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate / methylene diphenyl diisocyanate |
| 56. Methylenediphenyl diisocyanate (MDI) | 4,4'-methylenediphenyl diisocyanate; |

24/08/2020 EN (English) 8/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| 56(a) Methylenediphenyl diisocyanate (MDI) isomers: 4,4'-Methylenediphenyl | 4,4'-methylenediphenyl diisocyanate; |
|--|--------------------------------------|
| diisocyanate | diphenylmethane-4,4'-diisocyanate |

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out 4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate

SECTION 16: Other information

Full text of H- and EUH-statements:

| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 | |
|--|--|--|
| Acute Tox. 4 (Inhalation: dust, mist) | Acute toxicity (inhalation:dust,mist) Category 4 | |
| Acute Tox. 4 (Inhalation: vapour) | Acute toxicity (inhalation: vapour) Category 4 | |
| Carc. 2 | Carcinogenicity, Category 2 | |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 | |
| Resp. Sens. 1 | Respiratory sensitisation, Category 1 | |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 | |
| Skin Sens. 1 | Skin sensitisation, Category 1 | |
| STOT RE 2 Specific target organ toxicity — Repeated exposure, Category 2 | | |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation | |
| H315 | Causes skin irritation. | |
| H317 | May cause an allergic skin reaction. | |
| H319 | Causes serious eye irritation. | |
| H332 | Harmful if inhaled. | |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. | |
| H335 | May cause respiratory irritation. | |
| H351 | Suspected of causing cancer. | |
| H373 | May cause damage to organs through prolonged or repeated exposure. | |
| EUH204 | Contains isocyanates. May produce an allergic reaction. | |

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

| Acute Tox. 4 (Inhalation: dust, mist) | H332 | On basis of test data |
|---------------------------------------|------|-----------------------|
| Skin Irrit. 2 | H315 | Calculation method |
| Eye Irrit. 2 | H319 | Calculation method |
| Resp. Sens. 1 | H334 | Calculation method |
| Skin Sens. 1 | H317 | Calculation method |
| Carc. 2 | H351 | Calculation method |
| STOT SE 3 | H335 | Calculation method |
| STOT RE 2 | H373 | Calculation method |

MSDS Reach Annex II DL-Chem

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

24/08/2020 EN (English) 9/9