

# EUCOSOLV MEK

## CLEANING, ETCHING AND DILUTING SOLVENT

### FIELD OF APPLICATION

EUCOSOLV MEK is a solvent that is used as a cleaning agent. It is also suitable for diluting epoxy systems and for etching epoxy and polyurethane synthetic resin layers or for degreasing surfaces.

### BENEFITS & FEATURES

- Solvent.
- Suitable as degreaser for metal surfaces before applying a primer.
- Strong cleaning degree.
- Strong dilution degree.
- High evaporation rate

### APPLICATION

#### Application conditions

Always provide suitable personal protective equipment when using EUCOSOLV MEK. Ensure good ventilation of the work area during use. Consult the safety data sheet before using the product. Also consult the other technical and safety data sheets of other products to be used if EUCOSOLV MEK is to be used as a diluent.

#### Tools & complementary products

- Personal protective equipment.
- Clean buckets or mixing containers.
- Old cloths or lint-free cloths.

### TECHNICAL DATA

#### Consumption

Depending on the application: Also see the technical data sheets of the other products to be used.

#### Technical data & reaction times

Property	Value
Basic raw materials	Methyl ethyl ketone (MEK)
Density	0,8 kg/dm <sup>3</sup>
Flash point	-9°C
Solubility in water	Very soluble in water
Appearance	Clear, colourless liquid.
Odour	Typically solvent

#### Chemical resistances

EUCOSOLV MEK affects synthetic resin systems. For more information you can always contact EUCOCHEM BV.

#### Additional documentation & referrals

Always consult all technical data sheets and material safety data sheets of the products to be used. Always work with clean tools in good condition.

### APPEARANCE - COMPOSITION - PACKAGING

EUCOSOLV MEK is available as follows:

- 5 L can
- 20 L can
- 200 L metal barrel

Store EUCOSOLV MEK in a dry, frost-free room and in the unopened original packaging. Do not store in direct sunlight and between +5°C and +30°C. Shelf life 2 months after production date, if kept under the above mentioned conditions.

### ADDITIONAL COMMENTS

For special applications it is advisable to consult your EUCOCHEM BV representative. Keep EUCOSOLV MEK away from sources of ignition and do not smoke.

### SAFETY PRECAUTIONS

Always use personal protection in accordance with the local guidelines. Consult the appropriate safety sheets before use. All most recent safety data sheets are always available at [www.eucochem.com](http://www.eucochem.com). When in doubt, contact our technical service.

All information in this technical data sheet is provided in good faith and without any guarantees. The choice of a product for any application by the buyer or applicator, the processing of the products, the preparations, the finishing, the use of the right equipment to apply the products and all this in the broadest sense, are entirely beyond our control and are therefore entirely the responsibility of the buyer or applicator. Therefore, EUCOCHEM bv cannot be held responsible on the basis of what is mentioned above. Should EUCOCHEM bv nevertheless be held responsible for damage incurred, the claim will always be limited to the value of the necessary EUCOCHEM bv products to be delivered in order to carry out a minimal repair. EUCOCHEM bv strives to deliver products of consistent, good quality. All values on the technical data sheet are average values and are the result of tests performed under laboratory conditions. Values that are measured in jobsite conditions and the like may deviate from the stated values. This is because the environmental conditions, the application and the manner of processing our products are also outside our control. Please note that you should not add any products other than those indicated in our technical documentation. Only use EUCOCHEM bv products for a system under construction. If you combine products from different suppliers or brands, the warranty expires irrevocably. When applying the EUCOCHEM bv products it is necessary to draw up a construction site log and to fill it in on a regular basis. EUCOCHEM bv can consult the construction site log at any time and / or request a copy to check whether the products and systems have been correctly installed or installed in accordance with the regulations set by EUCOCHEM bv. We also refer to our general terms and conditions in case of dispute. This version of the technical data sheet replaces all previous versions. Version 1.0 Date: 14 October 2021 11:14 am